Tissue Engineering and Regenerative Medicine

Anthony Atala, MD
Wake Forest Institute for Regenerative Medicine
Wake Forest University School of Medicine
Winston-Salem, NC

Report Documentation Page

Form Approved
OMB No. 0704-0188

1. REPORT DATE	2. REPORT TYPE	3. DATES COVERED
01 NOV 2006	**N/A**	**-**

4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER
Tissue Engineering and Regenerative Medicine	5b. GRANT NUMBER
	5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **Wake Forest Institute for Regenerative Medicine Wake Forest University School of Medicine Winston-Salem, NC**	8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
	11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release, distribution unlimited

13. SUPPLEMENTARY NOTES
See also ADM002075., The original document contains color images.

14. ABSTRACT

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			
unclassified	**unclassified**	**unclassified**	**UU**	**83**	

YOU ARE HERE



Combat Trauma

Blunt, penetrating and blast injuries may lead to soft and solid tissue and organ damage

Trauma, and its subsequent infection and inflammation all lead to tissue loss

Challenge: Replacement Tissues and Organs

1954, First organ transplant, Boston

Today, Increasing problem: tissue and organ shortage and rejection


Tissue Engineering
Biosurgery
Regenerative Medicine
Cell Therapies
Artificial and
Biohybrid Organs

Regenerative Medicine / Tissue Engineering

Based on the field of cell transplantation (started in 1930s)



THE CULTURE
OF ORGANS

by
ALEXIS CARREL
and
CHARLES A. LINDBERGH

WITH 111 ILLUSTRATIONS

PAUL B. HOEBER, INC
MEDICAL BOOK DEPARTMENT OF HARPER & BROTHERS
NEW YORK MCMXXXVIII

First clinical application: engineered skin for burn patients, 1981

Regenerative Medicine / Tissue Engineering

A field of research for over 60 years. Why so few clinical advances?

Inability to expand cells in vitro

Inadequate biomaterials

Inadequate vascularity

Wake Forest Institute for Regenerative Medicine

Growth factor biology

Cell Differentiation

Molecular mechanisms

Cell-matrix interactions

Targeted Committed Progenitor Cells



Progenitor Cells and Specific Growth Factors: Expansion Potential

1 cm^2

Day 1 (5 X 10^4 cells)

⬇

Day 60 (50 X 10^9 cells)

Enough cells to cover a football field

Cell Types Grown at the Wake Forest Institute for Regenerative Medicine

- Heart
- Kidney
- Esophagus
- Bladder
- Sm/Sk Muscle
- Cartilage
- Urethra
- Vessels
- Salivary glands
- Trachea
- Bone
- Breast
- Lung
- Retina
- Uterus
- Nerve
- Liver
- Pancreas

CELL DELIVERY VEHICLES

Biocompatibility
Cell attachment
Cell viability

Degradation curves
Inflammatory responses
Biomechanical properties

The scaffold should replicate the biomechanical and structural properties of the tissue being replaced

Vascularity: Problem

Cells cannot be implanted in volumes greater than 3 mm^3 (the size of a pencil eraser)

Nutrition to the cells is limited (limited vascularity)











Tissue Formation in Vivo



G Schuch et al, Blood 100:4622, 02.
WT Godbey et al, Gene Ther, 03.
G Schuch et al, Angiogenesis 5:181, 02.
RC Smith et al, Hum Gene Ther 13:697, 02
M Nomi et al, Mol Aspects Med 23:463, 02.


A
B
C
D

Building Blocks for the Engineering of Tissues and organs

Muscle



Heart mm



Endothelium



Bone

Cartilage









J Urol 162:1148, 99.

F Chen et al, Urology 54:1, 99.

RE DeFilippo et al, J Urol 168:1789, 02.

AW El-Kassaby et al, J Urol 169:170, 03.

Urethra: Clinical Experience

Over 100 patients treated to date

Over a 5 year follow-up

80% Success rate

Fabrication of a vascular substitute

Electrospun nanofiber substrate, with endothelial and smooth muscle cells



Stitzel et al., *Biomaterials*, 2005.

Peripheral Blood-derived Endothelial Cells for the Creation of Tissue Engineered Blood Vessels



FLK1



CD31



BS1



F VIII

CD14

Control



Engineered Artery

Native Artery



S. Kaushal et al

Engineered Trachea





Vaginal Epithelial Cells





Vaginal Smooth Muscle Cells





Gross Examination

1 Mo

3 Mo

6 Mo

	Collagen-I	Collagen-II	Collagen-III	Elastin
Engineered				
Normal				

Organ Bath Studies

	EFS		AR Stimulation
	30 Hz	60 Hz	Phenylephrine
Unseeded			
NL Vagina			
6 Months			
3 Months			
1 Month			

Clinical Experience- 3 year follow-up in patients with engineered vaginas

Creation of the First Engineered Organ: Bladder



4 weeks



Oberpenning et al, 1999

Clinical Studies

Patients with high pressure /low capacity bladders

All failed medical therapy and were considered candidates for bladder reconstruction









Pre-Op



Post-Op (6 Mo.)

Urodynamic Studies

Pre-Op.



Post-Op.



Clinical Experience

3 protocols

5 year follow-up

The Lancet, April 06

UTERUS







Estrogen receptor B

Fetus in Tissue Engineered Uterus

Near-term







Engineering of the Digit

Scaffold Configuration for Digits



Cartilage Muscle Front Side

Scaffold Composition



Functional Components

Maintain structure

Contraction and relaxation

Muscle Function and Digit Movement



Engineered Digit

Cartilage and muscle composite tissue



Steve Badylak, MD, PhD, DVM
Material-Induced Regeneration

Commercially available product

FDA approved

Fingertip Regeneration in 78-year-old man

Fingertip Regeneration in 78-year-old man

Engineering of Ears



RIGHT KIDNEY SECTIONED IN SEVERAL PLANES, EXPOSING PARENCHYMA AND RENAL SINUS

Renal Cells


Tamm-Horsfall Protein


AQP1


Von Willebrand factor


Synaptopodin


AQP 2

Renal Device



Retrieved Renal Units

Cloned Cells

Allogeneic Cells

Unseeded

Retrieved Renal Tissues











Uric Acid



Creatinine




nature
biotechnology
VOLUME 20 • NO 7 • JULY 2002
http://biotech.nature.com
Successful transplantation of cloned cells
Genome shuffling for industrial microbes
Ribozymes throw light on drug targets
Lactobacilli fight tooth decay

CELL THERAPY

Injectable Cells for Therapy

Cartilage cells : FDA phase II and III multicenter clinical trials, 110 patients, 10 centers, 5 year follow-up

Muscle cells: Phase 1 FDA trial, 32 patients, single Injection, 80% success at 3 and 12 months, 5 year follow-up

Empty Microcapsules

Encapsulated Cells





Applications for Engineered Cell

Tumor therapy
- **Endostatin**
- **Others**

Excretion of proteins/ hormones
- **Menopause (estrogen)**
- **Diabetes (insulin)**
- **Parkinson's (L-Dopa)**
- **Testosterone**



Stem Cells

A stem cell can become any cell and it can create any tissue or organ

Only 2 pluripotent stem cell types described to date:

- **Embryonic stem cells**
- **Adult bone marrow stem cells**



Pluripotent stem cells: only 2 identified to date

Embryonic stem cells
Pro: very high replicative potential
Con: Malignant potential, issues with rejection, ethical issues

Adult bone marrow stem cells:
Pro: low malignant potential, can be used without rejection
Con: very low replicative potential

Amniocentesis: amniotic fluid that bathes the fetus in the womb during pregnancy

Placenta: the tissue in the womb that houses the baby

Amniotic fluid and placental tissue: Possible source for stem cells?

Conclusions

A new cell class is described, derived from amniotic fluid and placental tissue obtained during pregnancy or at the time of birth.

This system avoids the malignant potential and ethical concerns surrounding the use of embryonic stem cells

The stem cells can be rapidly expanded to large quantities sufficient for clinical translation, thus avoiding the limitations of adult bone marrow stem cells,

The stem cells could be stored at the time of birth for future “self” use, thus avoiding rejection

400 Human Amniotic Fluid and Placental Samples (10 - 40 wks)




1 2 3 4 5 6 7 8


SSEA-4
OCT4


1 2 3 4
kbp
21.2
7.4
5.0
3.6
2.0


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
X
Y


G1
S
G2/M

Pancreatic islets repaired after stem cell injection: insulin immuno staining



Normal pancreas



After STZ injection (28 d)



After cell injection (28 d)

Presence of MAFC (FITC-HA)



Control of Glucose Levels after Stem Cell Injection Long Term



Amniotic fluid and placental tissue obtained during pregnancy may be an alternate source for obtaining human stem cells

This system would avoid the rejection, malignancy, and cell expansion concerns surrounding the use of current stem cells

The stem cells could be stored for future "self" use

P DeCopppi, G Bartsch Jr, M Siddiqui, L Perin, C Koh, J Hipp[2], J Knutson, A Milanesi, D Dello, P Baptista, JW Lee, S Hodges

MEDICINE

Forget about transplants. In the not too distant future, people with failing tissues or organs may have new ones fabricated in a laboratory. The tools are already in hand.

Replacement Parts

By Geoffrey Cowley

The Human Body Shop

Cell Types Grown at the Wake Forest Institute for Regenerative Medicine

- Heart
- Kidney
- Esophagus
- Bladder
- Sm/Sk Muscle
- Cartilage
- Urethra
- Vessels
- Salivary glands
- Trachea
- Bone
- Breast
- Lung
- Retina
- Uterus
- Nerve
- Liver
- Pancreas

Engineering of Tissues and Organs

Hollow tubes -> Hollow organs -> Solid Organs

Urology : Bladder - 9 years ; Urethra – 7 years; Penis- in progress

Gynecology: Uterus - 7 years; Vagina - 5 years

Vascular: Blood Vessels - 5 years; Heart Valves – in progress

Respiratory: Trachea – in progress

Orthopedic: Cartilage, Bone, Skeletal Muscle, Digits

Nephrology: Kidney-in progress

--All Required Integration--

Some of the work in this presentation was performed by over 300 researchers across a 16 year time span:

Growth factor biology (molecular biologists)
Cell growth and expansion (cell biologists)
Biomaterial production (material scientists)
Cell-Biomaterial interactions (bio-engineers)
Small & large animal models (physiologists, biochemists, veterinarians)
Clinical trials (physicians, epidemiologists, statisticians, regulatory specialists)

************MULTI-DISCIPLINARY TEAM************

How to stop a runaway stage

Method 1

Method 2



From the book *Guide to Western Stuff*

The medical means to achieve full tissue and organ restoration in those suffering combat casualties are within our reach

Additional effort and resources are needed to expand the current state of the field of regenerative medicine so all tissues and organs can be created and delivered to soldiers with combat casualties

The Army Institute for Regenerative will be formed in 2007 order to accelerate clinical translation by the U.S. Army Medical Research and Materiel Command

Colonel Robert Vandre
Dr. Frazier Glenn
General Eric Schoomaker

Wake Forest Institute for Regenerative Medicine

Ben Harrison
Colin Bishop
George Christ
Grace Lim
James J. Yoo
K-E Andersson
Mark Furth
Mark Van Dyke
Shay Soker
Steve Hodges
Weixin Zhao
YuanYuan Zhang
Aaron Goldstein
Alan Farney
Ann Gleeson
Ann Immekus
Ben Watts
Callie Crider
Cathy Mathis
Cesar Santos
Chanda Turner
Chris Sullivan
Cindy Andrews
Cindy Montgomery
Cindy Whetzel
Daniel Eberli
Dawn Delo
Diane Mann
Don Massey
Dong Joon Lee
Elana McNeill
Emily Crafton
Fernanda Egydio
George McLeod
Hazem Osman
Helen Kincaid
Jacob Tiegs
James Crawford
Jason Hipp
Jennifer Hipp
Jian-Ming Zhu
Jie Liu
Jim Jordan
Joel Berry
Joel Stitzel
Kian Mostafavi
Kineka Hull
Koudy Williams
Lars Bochmann
Masood Machingal
Nancy Hiatt
Nevin Hammam
Patrick Cantini
Patrick Whitlock
Paulina Sierpinski
Pedro Baptista
Phillip Moore
Robert Knutson
Regina Myers
Robyn Shaffer
Saami Yazdani
Samira Neshat
Sang Jin Lee
Sergio Rodriguez
Shirin Zare
So-Young Chun
Steve Schultz
Tamer AbouShawreb
Tao Xu
Ted Kincaid
Terri Bowen
Tiffany King
Toshi Machiguchi
Vamsey Bobba
Yagna Jarajapu
Randy Geary

Some of the work in this presentation was made possible, in part, by grants from the following institutions:

NIH: NIDDK
NIH: HLBI
NASA
Department of Defense
National Kidney Foundation
Muscular Dystrophy Association
The Crown Foundation
The Frase Foundation
Juvenile Diabetes Research Foundation
Howard Hughes Medical Research Foundation


Wake Forest
Institute for
Regenerative
Medicine